Product Safety Data Sheet

1. Product And Company Identification

Product: Sanmex Fly & Wasp Killer, 300ml and 500ml **HSE Number 4006**

Manufacturer: Sanmex International Ltd Phone Number:

00+44 (0)141 647 2244 Dalmarnock Road, Rutherglen Fax Number: 00+44 (0)141 613 1228 Glasgow G73 1NY, United Kingdom e mail info@sanmex.com

2. Composition/Information on Components

Contains:	EINECS Number	CAS Number	%	Classification
			Wt/Wt	
n-Butane, Isobutane, Propane mixture	270-704-2	68476-85-7	35.00	F+; R-12
Odourless Kerosene	265-149-8	64742-47-8	7.40	Xn, R-65
Piperonyl Butoxide	200-076-7	51-03-6	0.75	N, R-51/53
Dimethoxymethane	203-714-2	109-87-5	0.50	F, R-11
Tetramethrin	231-711-6	7696-12-0	0.15	Xn, R-22, R-50/53
Permethrin	258-067-9	52645-53-1	0.03	Xn, N, R20/22, R43, R50/53
Sodium Nitrite	231-555-9	7632-00-0	0.10	O, T, N; R8, R25, R50

3. Hazards Identification

F+ Extremely Flammable. Pressurised Container.

4. First-Aid Measures

Rinse with water for 15 minutes. Obtain medical attention. Eyes:

Skin: Wash with soap and water.

Inhalation: Remove the person to fresh air. If breathing has stopped administer artificial respiration. Obtain medical attention.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give water to drink. Seek medical attention.

5. Fire-Fighting Measures

Use foam, carbon dioxide or dry powder extinguishers. Aerosol cans may explode in a fire.

6. Accidental Release Measures

Absorb with any inert material. Ensure adequate ventilation. Remove sources of ignition. Do not allow to enter drains

7. Handling and Storage

Keep away from sources of ignition. Do not smoke while using. Keep at temperature not exceeding 50°C. Protect from sunlight. Keep out of the reach of children. Intentional misuse by deliberately inhaling the contents can be harmful or fatal.

8. Exposure Controls/Personal Protection

Use only as directed on the can. Avoid contact with the skin and eyes. Wash hands after use. For indoor use only. Do not breathe spray mist. Do not contaminate foodstuffs, eating utensils or food contact surfaces. Keep in a safe place, out of the reach of children. Cover all water storage tanks before application. For indoor use only.

9. Physical and Chemical Properties

Pale yellow Liquid Appearance: As fragrance Odour: pH: 6.0 - 8.0

10. Stability and Reactivity

As with all aerosol cans, protect from sunlight and do not expose to temperatures exceeding 50°C.

11. Toxicological Information

Eyes: May cause irritation.

Skin: May irritate sensitive skin. Spraying directly onto the skin may cause freeze burns.

Ingestion: May cause nausea and vomiting.

Inhalation: May cause dizziness, stupor or unconsciousness depending on the extent of exposure.

12. Ecological Information

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Remove or cover all fish tanks and bowls before application. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

13. Disposal Considerations

Do not pierce or burn even after use. Dispose according to national and local authority guidelines.

14. Transport Information

 Transport Type
 ADR (Road/Rail)
 SEA
 AIR

 UN Number
 UN 1950
 UN 1950
 UN 1950

 Class
 2
 2.1

Proper shipping nameAerosolsAerosolsAerosols, flammable

 Packing group
 None
 None
 None

 Marine pollutant
 N/A
 No
 N/A

Other information'Limited quantity' provisions'Limited quantity''Limited quantity' provisions apply.apply. No Tremcard required.provisions apply.Hazard label required: Flammable Gas.

15. Regulatory Information

Symbol:





Risk Phrases: R-12, Extremely Flammable R 50/53 Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

Safety Phrases: S-2, Keep out of the reach of children, S-16, Keep away from sources of ignition - NO SMOKING,

S-23, Do not breathe spray, S- 47, Keep at temperature not exceeding 50°C.

16. Other information

R phrases used in this document

R50 Very toxic to aquatic organisms

R8 Contact with combustible material may cause fire R50/53 Very toxic to aquatic organisms, may cause long-term

R11 Highly flammable adverse effects in the aquatic environment.

R12 Extremely Flammable R51/53 Very toxic to aquatic organisms, may cause long-term

R20/22 Harmful by inhalation and if swallowed adverse effects in the aquatic environment.

R25 Toxic if swallowed R65 Harmful: may cause lung damage if swallowed.

This Safety Data does not constitute the users own assessment of workplace risk.