



SAFETY DATA SHEET

EASY STRIP

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	EASY STRIP
PRODUCT NO.	A141 EV
INTERNAL ID	P.16
APPLICATION	Floor Polish Remover.
SUPPLIER	Evans Vanodine International Brierley Road Walton Summit Preston. PR5 8AH Tel: 01772 322 200 Fax: 01772 626 000 qclab@evansvanodine.co.uk
EMERGENCY TELEPHONE	New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri Technical Advice - 8.30am to 4.45pm - 01772 318 818 - Mon to Fri

2 HAZARDS IDENTIFICATION

Harmful by inhalation, in contact with skin and if swallowed. Irritating to respiratory system. Causes burns.

CLASSIFICATION (1999/45) Xn;R20/21/22. C;R34. Xi;R37.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification (67/548)
2-BUTOXYETHANOL	203-905-0	111-76-2	10-20%	Xn;R20/21/22 Xi;R36/38
2-AMINOETHANOL	205-483-3	141-43-5	5-10%	C;R34 Xn;R20/21/22
1-AMINOPROPAN-2-OL	201-162-7	78-96-6	1-5%	C;R34
TETRA SODIUM ETHYLENE DIAMINE TETRA ACETATE	200-573-9	64-02-8	1-5%	Xn;R22. Xi;R41.
METHANOL	200-659-6	67-56-1	0-1%	F;R11 T;R23/24/25,R39/23/24/25
SODIUM HYDROXIDE	215-185-5	1310-73-2	0-1%	C;R35

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

INGESTION

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention immediately!

SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

EASY STRIP

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPECIFIC HAZARDS

When heated and in case of fire, harmful vapours/gases may be formed.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear respiratory protection. (See Sec 8) Wear suitable protective clothing, gloves and eye/face protection. (See sec 8)

ENVIRONMENTAL PRECAUTIONS

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

SPILL CLEAN UP METHODS

Small quantities may be flushed to drains with plenty of water. Large Spillages: Pick up with vacuum or absorbent solid, store in closed container for disposal.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Wear respiratory protection. Wear suitable protective clothing, gloves and eye/face protection.

STORAGE PRECAUTIONS

Store at moderate temperatures in dry, well ventilated area. Keep in original container. Store away from: Oxidising material.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
2-AMINOETHANOL	WEL	3 ppm	7.6 mg/m3	6 ppm	15 mg/m3	
2-BUTOXYETHANOL	WEL	25 ppm(Sk)		50 ppm(Sk)		
METHANOL	WEL	200 ppm(Sk)	266 mg/m3(Sk)	250 ppm(Sk)	333 mg/m3(Sk)	
SODIUM HYDROXIDE	WEL				2 mg/m3	

WEL = Workplace Exposure Limit.

INGREDIENT COMMENTS

WEL = Workplace Exposure Limit for COSHH assessments in the UK, -----

ST = Short-Term Exposure Limit (15 minute) & LT = Long-Term Exposure Limit (8 hours).

PROTECTIVE EQUIPMENT



ENGINEERING MEASURES

Must not be handled in confined space without sufficient ventilation.

RESPIRATORY EQUIPMENT

Wear Respiratory protection compliant with EN 141 (A2 B2 E2 K2 Hg-p3).

HAND PROTECTION

Wear protective gloves. (Household rubber gloves.)

EYE PROTECTION

Use approved safety goggles or face shield.

EASY STRIP

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid		
COLOUR	Clear Colourless		
ODOUR	Slight odour Glycol ether.		
SOLUBILITY	Soluble in water.		
BOILING POINT (°C)	102	MELTING POINT (°C)	-2
RELATIVE DENSITY	1.005 @ 20 °c	pH-VALUE, CONC. SOLUTION	12.00
FLASH POINT (°C)	Boils without flashing		

10 STABILITY AND REACTIVITY

STABILITY

No particular stability concerns.

11 TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

Refer to section 2.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

BIOACCUMULATION

The product does not contain any substances expected to be bioaccumulating.

DEGRADABILITY

This product, at use dilutions, is readily broken down in biological effluent treatment plants.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

14 TRANSPORT INFORMATION



PROPER SHIPPING NAME	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ethanolamine)		
UN NO. ROAD	3267	ADR CLASS	Class 8: Corrosive substances.
ADR PACK GROUP	III	TUNNEL RESTRICTION CODE	(E)
RID CLASS NO.	Class 8: Corrosive substances.	RID PACK GROUP	III
UN NO. SEA	3267	IMDG CLASS	Class 8: Corrosive substances.
IMDG PACK GR.	III	MARINE POLLUTANT	No.
UN NO. AIR	3267		

EASY STRIP**AIR CLASS**Class 8: Corrosive
substances.**AIR PACK GR.**

III

15 REGULATORY INFORMATION**LABELLING**

Corrosive



Harmful

CONTAINS

2-AMINOETHANOL

RISK PHRASES

R34	Causes burns.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R37	Irritating to respiratory system.

SAFETY PHRASES

S2	Keep out of the reach of children.
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45	In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).
S51	Use only in well-ventilated areas.

ENVIRONMENTAL LISTING

Hazardous Waste (England and Wales) Regulations.

EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EC. As amended by Directive 93/112/EC, 2001/58/EC and 2006/8/EC.

STATUTORY INSTRUMENTS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

APPROVED CODE OF PRACTICE

The compilation of safety Data Sheets L130.

GUIDANCE NOTES

Workplace Exposure Limits EH40. As amended in 2005. Approved guide to the Classification and Labeling of Substances and Preparations Dangerous for Supply. L100

16 OTHER INFORMATION**INFORMATION SOURCES**

Approved Supply List - HSC (Health & Safety Commission) Material Safety Data Sheet, Misc. manufacturers.

REVISION COMMENTS

New formulation no change in product classification. (Changes made to sections 3 &16)

REVISION DATE 29/03/11**REV. NO./REPL. SDS** Issue 5**GENERATED**

EASY STRIP

RISK PHRASES IN FULL

R34	Causes burns.
R35	Causes severe burns.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R11	Highly flammable.
R36/38	Irritating to eyes and skin.
R37	Irritating to respiratory system.
R41	Risk of serious damage to eyes.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.